

Structure Learning

Dr. Xiaowei Huang

<https://cgi.csc.liv.ac.uk/~xiaowei/>

Up to now,

- Overview of Machine Learning
- Traditional Machine Learning Algorithms
- Deep learning
- Probabilistic Graphical Models
 - Introduction
 - I-Map, Perfect Map
 - Reasoning Patterns
 - D-Separation

Topics



- Example of D-separation
- Why do we need structure learning?
- Goal of structure learning?
- Caution in establishing a connection between two variables?
- Overview of methods

Example of D-separation


Active / Inactive Paths

- Question: Are X and Y conditionally independent given evidence variables {Z}?
 - Yes, if X and Y “d-separated” by Z
 - Consider all (undirected) paths from X to Y
 - If no path is active -> independence!
- A **path** is active if every triple in path is active:
 - Causal chain $A \rightarrow B \rightarrow C$ where B is unobserved (either direction)
 - Commoncause $A \leftarrow B \rightarrow C$ where B is unobserved
 - Common effect (aka v-structure)
 $A \rightarrow B \leftarrow C$ where B or one of its descendants is observed
- All it takes to block a path is a **single** inactive segment
 - (But **all** paths must be inactive)

Active Triples




Inactive Triples




Example

$R \perp\!\!\!\perp B$

Yes, Independent!




Active Triples Inactive Triples




Example

$R \perp\!\!\!\perp B$ *Yes, Independent!*

$R \perp\!\!\!\perp B | T$ *No*



Active Triples Inactive Triples





Example

$R \perp\!\!\!\perp B$ *Yes, Independent!*

$R \perp\!\!\!\perp B|T$ *No*



$R \perp\!\!\!\perp B|T'$ *No*



Example

$L \perp\!\!\!\perp T' \mid T$

Yes, Independent




Example

$L \perp\!\!\!\perp T' | T$

Yes, Independent


$L \perp\!\!\!\perp B$

Yes, Independent





Active Triples

Inactive Triples





Example

$L \perp\!\!\!\perp T' | T$ *Yes, Independent*
 $L \perp\!\!\!\perp B$ *Yes, Independent*
 $L \perp\!\!\!\perp B | T$ *No*





Example

$L \perp\!\!\!\perp T' | T$ *Yes, Independent*
 $L \perp\!\!\!\perp B$ *Yes, Independent*
 $L \perp\!\!\!\perp B | T$ *No*
 $L \perp\!\!\!\perp B | T'$ *No*





Example

$L \perp\!\!\!\perp T' T$	<i>Yes, Independent</i>
$L \perp\!\!\!\perp B$	<i>Yes, Independent</i>
$L \perp\!\!\!\perp B T$	<i>No</i>
$L \perp\!\!\!\perp B T'$	<i>No</i>
$L \perp\!\!\!\perp B T, R$	<i>Yes, Independent</i>



Example

- $L \perp\!\!\!\perp T' | T$ *Yes, Independent*
- $L \perp\!\!\!\perp B$ *Yes, Independent*
- $L \perp\!\!\!\perp B | T$ *No*
- $L \perp\!\!\!\perp B | T'$ *No*
- $L \perp\!\!\!\perp B | T, R$ *Yes, Independent*
- $R \perp\!\!\!\perp T' | L, B$ *No*





Example

- Variables:
 - R: Raining
 - T: Traffic
 - D: Roof drips
 - S: I'm sad
- Questions:

$T \perp\!\!\!\perp D$

No



Example

- Variables:

- R: Raining
- T: Traffic
- D: Roof drips
- S: I'm sad


- Questions:

$$T \perp\!\!\!\perp D$$


No

$$T \perp\!\!\!\perp D | R$$

Yes, Independent



Active Triples Inactive Triples



Example

- Variables:


- R: Raining
- T: Traffic
- D: Roof drips
- S: I'm sad

- Questions:


$T \perp\!\!\!\perp D$ *No*

$T \perp\!\!\!\perp D | R$ *Yes, Independent*

$T \perp\!\!\!\perp D | R, S$ *No*



Active Triples | Inactive Triples



Why do we need structure learning?

Two approaches to task of acquiring a model

- 1. Knowledge Engineering
 - Construct a network by hand with expert's help
- 2. Machine Learning
 - Learn model from a set of instances

Knowledge Engineering vs ML

- Knowledge Engineering Approach
 - Pick variables, pick structure, pick probabilities
 - Too much Effort
 - Simple ones require hours of effort, complex one: months
 - Significant testing of model by evaluating results of typical queries yield plausible answers
- Machine Learning Approach
 - Instances available from distribution we wish to model
 - Easier to get large data sets rather than human expertise

Difficulties with Manual Construction

- In some domains:
 - Amount of knowledge required too large
 - No experts who have sufficient understanding
 - Cost: expert time is valuable
- Properties of distribution change from one site to another
- Change over time
 - Expert cannot redesign every few weeks
- Modeling mistakes have serious impact on quality of answers

Advantage of ML approach

- We are in the Information Age
 - Easier to obtain even large amounts of data in electronic form than to obtain human expertise
- Example Data
 - Medical Diagnosis
 - Patient records
 - Pedigree Analysis (Genetic Inheritance)
 - Family trees for disease transmission
 - Image Segmentation
 - Set of images segmented by a person

Example: Medical Diagnosis Task

- Collection of patient records
 - History:
 - Age, sex, history, medical complications
 - Symptoms
 - Results of tests
 - Diagnosis
 - Treatment
 - Outcome
- Task: Use data to model distribution of patients
 - Pathologist diagnoses disease of lymph nodes (Pathfinder 1992)

Goal of Structure Learning

Goal of Structure Learning: Knowledge Discovery

- A tool for discovering knowledge about P^*
 - What are the direct/indirect independencies?
 - Nature of dependencies
 - E.g., positive or negative correlation
 - Example: in medical domain, which factors lead to a disease
- Bayesian network reveals much finer structure
 - Distinguish between direct and indirect independencies, both of which lead to correlations

Problem Assumptions

- We do not know the structure
- Dataset is fully observed
 - A strong assumption
- Assume data D is generated i.i.d. from distribution $P^*(X)$
- Assume that P^* is induced by BN G^*

Caution in establishing a connection
between two variables?

Knowledge Discovery Goal

- Goal: recover G^*
- Since there are many I-maps for P^* we cannot distinguish them from D
- Thus G^* is not *identifiable*
- Best we can do is recover G^* 's equivalence class

Too few or too many edges in G^*

- Even learning equivalence class of networks is hard
- Data sampled is noisy
- Need to make decisions about including edges we are less sure about
 - Too few edges means missing out on dependencies
 - Too many edges means spurious dependencies

To what extent do independencies in G^* manifest in D ?

- Two coins X and Y tossed independently
- We are given data set of 100 instances
- Learn a model for this scenario
- Typical data set:
 - 27 head/head
 - 22 head/tail
 - 25 tail/head
 - 26 tail/tail
- Are the coins independent?



Coin Tossing Probabilities

- Marginal Probabilities
 - $P(X=\text{head})=.49$, $P(X=\text{tail})=0.51$, $P(Y=\text{head})=.52$, $P(Y=\text{tail})=.48$
- Products of marginals:
 - $P(X=\text{head}) \times P(Y=\text{head}) = .49 \times .52 = .25$
 - $P(X=\text{head}) \times P(Y=\text{tail}) = .49 \times .48 = .24$
 - $P(X=\text{tail}) \times P(Y=\text{head}) = .51 \times .52 = .27$
 - $P(X=\text{tail}) \times P(Y=\text{tail}) = .51 \times .48 = .24$
- Joint Probabilities
 - $P(XY=\text{head-head})=.27$
 - $P(XY=\text{head-tail})=22$
 - $P(XY=\text{tail-head})=.25$
 - $P(XY=\text{tail-tail})=.26$
- **But we suspect independence**
 - since probability of getting exactly 25 in each category is small (approx. 1 in 1,000)

27 head/head
22 head/tail
25 tail/head
26 tail/tail

According to
empirical
distribution: **not
independent**



Rain-Soccer Probabilities

- Scan sports pages for 100 days
- Select an article at random to see
 - If there is mention of rain and soccer
- Marginal Probabilities
 - $P(X=rain)=.49$, $P(X=no\ rain)=.51$, $P(Y=soccer)=.48$, $P(Y=no\ soccer)=.52$
- Joint Probabilities
 - $P(XY=rain-soccer)=.27$
 - $P(XY=rain-no\ soccer)=.22$
 - $P(XY=no\ rain-soccer)=.25$
 - $P(XY=no\ rain-no\ soccer)=.26$



According to empirical distribution: **not independent**



We suspect there is a weak connection (not independent)

It is hard to be sure whether the true underlying model has an edge between X and Y

Data Fragmentation with spurious edges

- In a table CPD no of bins grows exponentially with no of parents
- Cost of adding a parent can be very large
- Cost of adding a parent grows with no of parents already there
- It is better to obtain a sparser structure
- We can sometimes learn a better model by learning a model with fewer edges even if it does not represent the true distribution.

Overview of methods

Structure Learning Algorithms

- Constraint-based
 - Find structure that best explains determined dependencies
 - Sensitive to errors in testing individual dependencies
- Score-based
 - Search the space of networks to find high-scoring structure
 - Since space is super-exponential, need heuristics

Finds a Bayesian network structure whose implied **independence constraints** “match” those found in the data.

Find the Bayesian network structure that can represent **distributions that “match”** the data (i.e. could have generated the data).

Elements of BN Structure Learning

- Local: Independence Tests
 - Measures of *Deviance*-from-independence between variables
 - Rule for accepting/rejecting hypothesis of independence
- Global: Structure Scoring
 - Goodness of Network

Independence Tests

- For variables x_i, x_j in data set D of M samples

- Pearson's Chi-squared (χ^2) statistic

$$d_{\chi^2}(\mathcal{D}) = \sum_{x_i, x_j} \frac{\left(M[x_i, x_j] - M \cdot \hat{P}(x_i) \cdot \hat{P}(x_j) \right)^2}{M \cdot \hat{P}(x_i) \cdot \hat{P}(x_j)}$$

- Independence $d_{\chi}(D)=0$, larger value when Joint $M[x,y]$ and expected counts (under independence assumption) differ

- Mutual Information (K-L divergence) between joint and product of marginals

$$d_I(\mathcal{D}) = \frac{1}{M} \sum_{x_i, x_j} M[x_i, x_j] \log \frac{M[x_i, x_j]}{M[x_i]M[x_j]}$$

- Independence $d_I(D)=0$, otherwise a positive value

- Decision rule

- False rejection probability due to choice of t is its p-value

$$R_{d,t}(\mathcal{D}) = \begin{cases} \text{Accept } d(\mathcal{D}) \leq t \\ \text{Reject } d(\mathcal{D}) > t \end{cases}$$

Idea: measure the independence between two variables with a value, and then determine whether to establish the connection based on the score.

Structure Scoring

Idea: measure each graph with a score, and select the graph with best score as G

- Log-likelihood Score for G with n variables

$$score_L(\mathcal{G} : \mathcal{D}) = \sum_{\mathcal{D}} \sum_{i=1}^n \log \hat{P}(x_i | pax_i) \quad \text{Sum over all data and variables } x_i$$

- 2. Bayesian Score


$$score_B(\mathcal{G} : \mathcal{D}) = \log p(\mathcal{D} | \mathcal{G}) + \log p(\mathcal{G})$$

- 3. Bayes Information Criterion

- With Dirichlet prior over graphs $score_{BIC}(\mathcal{G} : \mathcal{D}) = l(\hat{\theta}_G : \mathcal{D}) - \frac{\log M}{2} Dim(\mathcal{G})$


Model search

- Finding the BN structure with the highest score among those structures with at most k parents is NP hard for $k > 1$ (Chickering, 1995)
- Heuristic methods
 - Greedy
 - Greedy with restarts
 - MCMC methods



Heuristic for BN Structure Learning

- Consider pairs of variables ordered by χ^2 value
- Add next edge if score is increased



Summary of Bayesian Networks

Summary of Bayesian Networks

- Bayesian network specifies a set of independencies
- Distributions have multiple minimal I-maps
 - Minimal I-map does not capture all independence properties of P
- P-map: not every distributions has a P-map
 - This motivates the use of Markov networks
- I-equivalence is when graphs capture same independences